


Q1 Please enter your unique individual Survey Monkey code that has been previously sent to you by Julian Arbuckle:

Answered: 12 Skipped: 2

#	RESPONSES	DATE
1	4099	12/6/2019 4:09 PM
2	3287	11/22/2019 3:46 PM
3	2772	11/22/2019 3:29 PM
4	8354	11/19/2019 9:24 PM
5	2279	11/19/2019 2:38 PM
6	3444	11/14/2019 5:40 AM
7	8008	11/13/2019 4:37 PM
8	7333	11/13/2019 1:33 PM
9	9004	11/12/2019 4:43 PM
10	5965	11/12/2019 3:27 PM
11	9901	11/12/2019 1:42 PM
12	2531	11/12/2019 1:28 PM

Q2 What's your company's R&D spend in 2018?


Answered: 14 Skipped: 0



ANSWER CHOICES	RESPONSES
≤\$500M	28.57% 4
\$501M-999M	21.43% 3
\$1-2.99B	21.43% 3
≥\$3B	28.57% 4
TOTAL	14

Q3 Does your company track and reconcile the following samples before database lock of a clinical trial?


Answered: 14 Skipped: 0



ANSWER CHOICES	RESPONSES	
Samples used for routine safety testing (e.g., hematology, blood chemistry, urinalysis)	57.14%	8
Samples for other planned testing (PK, ADA, specific biomarkers)	92.86%	13
Samples for unspecified testing during the study or after end of study	50.00%	7
Total Respondents: 14		

Q4 Does your company track sample collection via EDC or other IT system (other than central lab portal)?


Answered: 14 Skipped: 0



ANSWER CHOICES	RESPONSES	
Yes	42.86%	6
No	57.14%	8
Total Respondents: 14		

Q5 If you answered "Yes" to Q3, which of the following are tracked via EDC or other IT system?


Answered: 9 Skipped: 5



ANSWER CHOICES	RESPONSES	
Samples used for routine safety testing (e.g., hematology, blood chemistry, urinalysis)	66.67%	6
Samples for other planned testing (PK, ADA, specific biomarkers)	88.89%	8
Samples for unspecified testing during the study or after end of study	88.89%	8
Total Respondents: 9		

Q6 In terms of reconciliation of missing samples, do you focus on?


Answered: 14 Skipped: 0



ANSWER CHOICES	RESPONSES	
Only samples related to primary or secondary clinical trial endpoints	21.43%	3
Only samples related to any clinical trial endpoints	21.43%	3
All samples	57.14%	8
Total Respondents: 14		

Q7 Does your company track and reconcile samples collected for testing at local labs?


Answered: 13 Skipped: 1



ANSWER CHOICES	RESPONSES	
Yes	53.85%	7
No	46.15%	6
Total Respondents: 13		

Q8 What are the average man hours to reconcile a single missing sample at your company?

Answered: 14 Skipped: 0




ANSWER CHOICES	RESPONSES	
<1 hr	0.00%	0
1-2 hrs	21.43%	3
2 hrs ≤ 5 hrs	21.43%	3
>5 hrs	21.43%	3
Other (please specify)	35.71%	5
TOTAL		14

#	OTHER (PLEASE SPECIFY)	DATE
1	Not known	11/24/2019 12:38 AM
2	Don't know/hard to come up with an estimate	11/22/2019 3:29 PM
3	This can vary; reconciliation involves contact with and feedback from the clinical site. TAT is dependent upon site response time.	11/19/2019 9:24 PM
4	unkown	11/14/2019 5:40 AM
5	Hours are dependent on site response	11/13/2019 4:37 PM

Q9 Would your company be interested in learning about an innovative approach to track sample collection and reconcile missing samples with less efforts?

Answered: 14 Skipped: 0



ANSWER CHOICES	RESPONSES	
Yes	78.57%	11
No	21.43%	3
Total Respondents: 14		